## References

- 1. Heffernan DS, Schermer CR, Lu SW. What defines a distracting injury in cervical spine assessment? J Trauma. 2005 Dec;59(6):1396–9.
- Ong AW, Rodriguez A, Kelly R, Cortes I, Protetch J, Daffner RH. Detection of Cervical Spine Injuries in Alert, Asymptomatic Geriatric Blunt Trauma Patients: Who Benefits From Radiologic Imaging? The American Surgeon. 2006 Sep 1;72(9):773–7.
- Kulvatunyou N, Lees JS, Bender JB, Bright B, Albrecht R. Decreased use of cervical spine clearance in blunt trauma: The implication of the injury mechanism and distracting injury. Accident Analysis & Prevention. 2010 Jul 1;42(4):1151–5.
- **4.** Dahlquist RT, Fischer PE, Desai H, Rogers A, Christmas AB, Gibbs MA, et al. Femur fractures should not be considered distracting injuries for cervical spine assessment. The American Journal of Emergency Medicine. 2015 Dec 1;33(12):1750–4.
- Stiell IG, Clement CM, McKnight RD, Brison R, Schull MJ, Rowe BH, et al. The Canadian C-Spine Rule versus the NEXUS Low-Risk Criteria in Patients with Trauma. New England Journal of Medicine. 2003 Dec 25;349(26):2510–8.
- Hoffman JR, Mower WR, Wolfson AB, Todd KH, Zucker MI. Validity of a Set of Clinical Criteria to Rule Out Injury to the Cervical Spine in Patients with Blunt Trauma. New England Journal of Medicine. 2000 Jul 13;343(2):94–9.
- Bandiera G, Stiell IG, Wells GA, Clement C, De Maio V, Vandemheen KL, et al. The Canadian C-Spine rule performs better than unstructured physician judgment. Annals of Emergency Medicine. 2003 Sep 1;42(3):395–402.
- 8. Anderson PA, Muchow RD, Munoz A, Tontz WL, Resnick DK. Clearance of the Asymptomatic Cervical Spine: A Meta-analysis. Journal of Orthopaedic Trauma. 2010 Feb;24(2):100–106.
- **9.** Michaleff ZA, Maher CG, Verhagen AP, Rebbeck T, Lin C-WC. Accuracy of the Canadian C-spine rule and NEXUS to screen for clinically important cervical spine injury in patients following blunt trauma: a systematic review. CMAJ. 2012 Oct 9;cmaj.120675.
- **10.** Stiell IG, Clement CM, Grimshaw J, Brison RJ, Rowe BH, Schull MJ, et al. Implementation of the Canadian C-Spine Rule: prospective 12 centre cluster randomised trial. BMJ. 2009 Oct 29;339:b4146.
- **11.** Paydar S, Ahmadi A, Dalfardi B, Shakibafard A, Abbasi H, Bolandparvaz S. Clinical and economic effects of selective radiological evaluation of high-energy trauma patients: a prospective experience of a level 1 busy trauma centre. Emerg Med J. 2015 Jul 1;32(7):535–8.
- **12.** Casha S, Christie S. A Systematic Review of Intensive Cardiopulmonary Management after Spinal Cord Injury. Journal of Neurotrauma. 2009 Dec 23;28(8):1479–95.
- **13.** Hawryluk G, Whetstone W, Saigal R, Ferguson A, Talbott J, Bresnahan J, et al. Mean Arterial Blood Pressure Correlates with Neurological Recovery after Human Spinal Cord Injury: Analysis of High Frequency Physiologic Data. Journal of Neurotrauma. 2015 Feb 10;32(24):1958–67.

- **14.** Holmes JF, Akkinepalli R. Computed tomography versus plain radiography to screen for cervical spine injury: a meta-analysis. J Trauma. 2005 May;58(5):902–5.
- **15.** Sixta S, Moore FO, Ditillo MF, Fox AD, Garcia AJ, Holena D, et al. Screening for thoracolumbar spinal injuries in blunt trauma: An Eastern Association for the Surgery of Trauma practice management guideline. Journal of Trauma and Acute Care Surgery. 2012 Nov;73(5):S326.
- 16. Inaba K, Nosanov L, Menaker J, Bosarge P, Williams L, Turay D, et al. Prospective derivation of a clinical decision rule for thoracolumbar spine evaluation after blunt trauma: An American Association for the Surgery of Trauma Multi-Institutional Trials Group Study. Journal of Trauma and Acute Care Surgery. 2015 Mar;78(3):459–467.
- **17.** Fehlings MG, Vaccaro A, Wilson JR, Singh A, Cadotte DW, Harrop JS, et al. Early versus Delayed Decompression for Traumatic Cervical Spinal Cord Injury: Results of the Surgical Timing in Acute Spinal Cord Injury Study (STASCIS). PLOS ONE. 2012 Feb 23;7(2):e32037.
- **18.** Vaccaro AR, Daugherty RJ, Sheehan TP, Dante SJ, Cotler JM, Balderston RA, et al. Neurologic Outcome of Early Versus Late Surgery for Cervical Spinal Cord Injury. Spine. 1997 Nov 15;22(22):2609–2613.
- **19.** Cengiz ŞL, Kalkan E, Bayir A, Ilik K, Basefer A. Timing of thoracolomber spine stabilization in trauma patients; impact on neurological outcome and clinical course. A real prospective (rct) randomized controlled study. Arch Orthop Trauma Surg. 2008 Sep 1;128(9):959–66.
- 20. van Middendorp JJ, Hosman AJF, Doi SAR. The Effects of the Timing of Spinal Surgery after Traumatic Spinal Cord Injury: A Systematic Review and Meta-Analysis. Journal of Neurotrauma. 2013 Jul 1;30(21):1781–94.
- Liu J-M, Long X-H, Zhou Y, Peng H-W, Liu Z-L, Huang S-H. Is Urgent Decompression Superior to Delayed Surgery for Traumatic Spinal Cord Injury? A Meta-Analysis. World Neurosurgery. 2016 Mar 1;87(Supplement C):124–31.
- 22. Mac-Thiong J-M, Feldman DE, Thompson C, Bourassa-Moreau É, Parent S. Does Timing of Surgery Affect Hospitalization Costs and Length of Stay for Acute Care following a Traumatic Spinal Cord Injury? Journal of Neurotrauma. 2012 Aug 24;29(18):2816–22.
- Furlan JC, Craven BC, Massicotte EM, Fehlings MG. Early Versus Delayed Surgical Decompression of Spinal Cord after Traumatic Cervical Spinal Cord Injury: A Cost-Utility Analysis. World Neurosurgery. 2016 Apr 1;88(Supplement C):166–74.
- 24. Ham W, Schoonhoven L, Schuurmans MJ, Leenen LPH. Pressure ulcers from spinal immobilization in trauma patients: A systematic review. Journal of Trauma and Acute Care Surgery. 2014 Apr;76(4):1131–1141.
- **25.** Ackland HM, Cooper JD, Malham GM, Kossmann T. Factors Predicting Cervical Collar-Related Decubitus Ulceration in Major Trauma Patients. Spine. 2007 Feb 15;32(4):423–428.
- Inoue T, Manley GT, Patel N, Whetstone WD. Medical and Surgical Management after Spinal Cord Injury: Vasopressor Usage, Early Surgerys, and Complications. Journal of Neurotrauma. 2013 Sep 10;31(3):284–91.

- De Backer D, Biston P, Devriendt J, Madl C, Chochrad D, Aldecoa C, et al. Comparison of Dopamine and Norepinephrine in the Treatment of Shock. New England Journal of Medicine. 2010 Mar 4;362(9):779–89.
- 28. De Backer D, Aldecoa C, Njimi H, Vincent J-L. Dopamine versus norepinephrine in the treatment of septic shock: A meta-analysis\*. Critical Care Medicine. 2012 Mar;40(3):725.
- 29. Stiell IG, Clement CM, McKnight RD, Brison R, Schull MJ, Rowe BH, et al. The Canadian C-Spine Rule versus the NEXUS Low-Risk Criteria in Patients with Trauma. New England Journal of Medicine. 2003 Dec 25;349(26):2510–8.