

**British Columbia and Yukon Cancer Registry
Reporting Guidelines for Laboratories**

Reportable

- Malignant (invasive/ in-situ, carcinoma, including also sarcoma, melanoma, germ cell tumor, mesothelioma), pre-malignant or uncertain if malignant tumor/neoplasm (i.e. tumor annotated as uncertain malignant potential)
- Systemic malignant or pre-malignant hematopoietic disease (blood/bone marrow/lymph nodes) (leukemia, lymphoma, myeloma/plasma cell neoplasm, myelodysplastic syndrome, myeloproliferative disease)
- Malignant as well as Benign tumor of the central nervous system and pineal and pituitary glands
 - Including Benign tumors in the central nervous system; the meninges, brain, spinal cord, cranial nerves, craniopharyngeal duct, pineal gland, and the pituitary gland (including schwannoma, meningioma...)
- High Grade Squamous Intraepithelial (HGSIL) (HSIL), including
 - Cervical intraepithelial neoplasia (CIN) 2-3
 - Vulvar intraepithelial neoplasia (VIN) 2-3
 - Vaginal intraepithelial neoplasia (VaIN) 2-3
 - Anal intraepithelial neoplasia (AIN) 2-3
- High Grade Dysplasia
 - GI tract (i.e. Barrett's, stomach, polyp/adenoma)
 - Pancreas – pancreatic intraepithelial neoplasia (PAIN) 3
 - Biliary tract – biliary intraepithelial neoplasia (BIN) 3
- Ovarian tumors (including borderline or malignant epithelial tumors, carcinoma, granulosa cell tumor, Sertoli-Leydig cell tumor, small cell carcinoma, germ cell tumor; but excluding fibroma, thecoma or mature teratoma) and testicular tumor (germ cell tumor like seminoma, embryonal carcinoma, choriocarcinoma, yolk sac tumor)
- Others (lacking carcinoma/malignant annotation)
 - Carcinoid tumor, neuroendocrine tumor, Mesothelioma, thymoma,
 - Gastrointestinal stromal tumor, atypical lipomatous tumor, atypical chondroid tumor, solitary fibrous tumor,
 - Placental site trophoblastic tumor, epithelioid trophoblastic tumor
 - Immature teratoma, dysgerminoma
- Reportable skin malignancies:
 - *Carcinomas (i.e. squamous cell, basal cell and other types) of the following special skin or mucosal sites:*
 - Lip, Anus and Anal Canal, Vulva, Vagina and Cervix, Penis and Scrotum
 - *Melanoma, Mycosis fungoide/lymphoma, Kaposi's Sarcoma or other sarcoma (i.e. dermatofibrosarcoma protuberans), Merkel cell tumors/Adnexal Carcinoma/Microcystic Adnexal Carcinoma*

Not Reportable

- Basal cell carcinoma and squamous cell carcinomas of the skin (including squamous cell carcinoma in situ)
- Prostatic intraepithelial neoplasia

If you have any questions about reporting cases to the Cancer Registry, please email us at: cancerregistry@phsa.ca

The Cancer Registry would like to thank hospitals, pathologists, transcriptionists, radiologists and members of the medical profession and others who submit data, for their ongoing active support.

British Columbia and Yukon Cancer Registry
CNS and Hematopoietic Terminologies for
REPORTABLE CANCERS

| CNS | | LY_LK (Hematopoietic) |
|---|----------------------------------|---|
| Acidophil adenoma | Mesenchymoma, benign | Acute progressive histiocytosis X |
| Acoustic neuroma | Mesenchymoma, NOS | Agnogenic myeloid metaplasia |
| Acromegaly | Microfollicular adenoma | Angiocentric immunoproliferative lesion |
| Adenoma, NOS | Mixed acidophil-basophil adenoma | Alpha heavy chain disease |
| Angioblastic meningioma | Mixed cell adenoma | Amyloidosis, Primary |
| Angioblastoma | Mixed meningioma | Anemia, refractory (all types) |
| Angiocentric immunoproliferative Lesion | Monomorphic adenoma | Blastic plasmacytoid dendritic cell neoplasm |
| Angiolipoma, NOS | Mucoid cell adenoma | Chronic myeloproliferative disease |
| Angiomatous meningioma | Multiple meningiomas | Cytopenia, refractory with multilineage dysplasia |
| Arteriovenous Malformation | Multiple neurofibromatosis | Eosinophilic granuloma |
| Askin tumor | Myxopapillary ependymoma | Essential thrombocythemia |
| Astrocytoma | Neurilemmoma, NOS | Extramedullary plasmacytoma |
| Atypical fibrous histiocytoma | Neurinoma | Fibroblastic reticular cell tumour |
| Atypical fibroxanthoma | Neuroastrocytoma | Franklin disease |
| Basophil adenoma | Neurocytoma | Gamma heavy chain disease |
| Capillary Hemangioma | Neurofibroma, NOS | Generalized Langerhans cell Histiocytosis |
| Cavernous Hemangioma | Neurofibromatosis, NOS | Granuloma, eosinophilic |
| Choroid plexus papilloma, NOS | Neuroma, NOS | Hand-Schuller-Christian Disease |
| Chromophobe adenoma | Neurothekeoma | Heavy chain disease |
| Craniopharyngioma | Oncocytic adenoma | High grade myelodysplastic syndrome lesions |
| Dermoid cyst, NOS | Oncocytoma | Hypereosinophilic syndrome |
| Diffuse menigiomatosis | Oxyphilic adenoma | Immunoproliferative small intestinal disease |
| Endotheliomatous meningioma | Papillary adenoma, NOS | Indolent systemic mastocytosis (ISM) |
| Epithelioid hemangioendothelioma, NOS | Papillary ependymoma | JAK-2+ |
| Extra-adrenal paraganglioma, NOS | Papillary meningioma | Langerhans Cell Histiocytosis |
| Fibroblastic meningioma | Paraganglioma, NOS | Leukemic reticuloendotheliosis |
| Fibroma, NOS | Pigmented Schwannoma | Lesion, angiocentric immunoproliferative |
| Fibrous histiocytoma, NOS | Pilocytic/juvenile astrocytoma | Letterer-Siwe disease |
| Fibrous meningioma | Pinealoma | Lymphoid granulomatosis |
| Fibroxanthoma, NOS | Pineocytoma | Lymphomatoid papulosis |
| Follicular Adenoma | Pituitary Adenoma | Lymphoproliferative (all types) |
| Gangliocytoma | Plexiform neurofibroma | Mast cell disease |
| Ganglioglioma | Plexiform neuroma | Mastocytosis |
| Ganglioneuroma | Prolactinoma | Metaplasia, (agnogenic) myeloid |

| | | |
|----------------------------------|---|--|
| Glioblastoma | Psammomatous meningioma | Monoclonal immunoglobulin deposition disease (Randall Disease) |
| Glioma | Rathke pouch tumor | Mycosis fungoides |
| Glioneuroma | Recklinghausen disease (except of bone) | Myelodysplastic syndrome with 5q- syndrome |
| Granular cell tumor, NOS | Rhabdomyoma, NOS | Myelofibrosis |
| Hemangioblastic meningioma | Schwannoma, NOS | Myelosclerosis with myeloid metaplasia |
| Hemangioblastoma | Subependymal astrocytoma | Pagetoid reticulosis |
| Hemangioendothelioma, benign | Subependymal giant cell | MGUS (Monoclonal gammopathy of undetermined significance) |
| Hemangioma, NOS | Subependymal glioma | Panmyelosis, acute |
| Hemangiopericytic meningioma | Subependymoma | Polycythemia vera |
| Hemangiopericytoma, benign | Syncytial meningioma | Post transplant lymphoproliferative disorder |
| Hemangiopericytoma, NOS | Tectal plate lipoma | Pre-leukemic |
| Hurthle cell adenoma | Teratoma, benign | Primary amyloidosis |
| Hurthle cell tumor | Teratoma, NOS | Refractory cytopenia with multilineage dysplasia |
| Hyperprolactinemia | Transitional meningioma | Sezary disease |
| Lhermitte-Duclos disease | Tumor cells, benign | Solitary plasmacytoma |
| Lipoma | Tumor cells, uncertain whether | Therapy related myelodysplastic Syndrome |
| Lymphoproliferative disease, NOS | Tumorlets | Therapy-related myelodysplastic syndrome |
| Macroadenoma | Von Recklinghausen disease (except of bone) | Transient abnormal myelopoiesis |
| Melanocytic Schwannoma | Xanthofibroma | Waldenstrom macroglobulinemia |
| Meningioma, NOS | | |
| Meningiomatosis, NOS | | |
| Meningotheliomatous meningioma | | |